LEBEDINSKIY, A. V.

N/5
633.5
.049


Kurs normal'noy fiziologii (Course in normal physiology, by) A. G. Ginetsinskiy i
A. V. Lebedinskiy. Moskva, Medgiz, 1956.

534 p. illus., diagrs., graphs, tables.

RAKULEV. A.N.. glavnyy redaktor; ANICHKOV, N.N., redaktor; BOLDYRNV, T.Ye., redaktor; BRUSILOVSKIY, L.Ya., redaktor; BYKOV, K.M., redaktor; redaktor; BRUSILOVSKIY, L.Ya., redaktor; BYKOV, K.M., redaktor; GRASHCHMIKOV, VASILENKO, V.Kh., redaktor; VINOGRADOV, N.A., redaktor; GRASHCHMIKOV, N.I., redaktor; DAVYDOVSKIY, I.V., redaktor; ZDRODOVSKIY, P.F., redaktor; KAVETSKIY, R.Ye., redaktor; KOCHERGIN, I.G., redaktor; RROTKOV, F.G., redaktor; KUPRIYANOV, P.A., redaktor; LEBEDIHSKIY, KROTKOV, F.G., redaktor; KUPRIYANOV, P.A., redaktor; MAN*KOVSKIY, B.N., redaktor; MALINOVSKIY, M.S., redaktor; MAN*KOVSKIY, B.N., redaktor; NESTEROV, A.I., redaktor; ORHELI, L.A., redaktor; SKRYABIN, PAYLOVSKIY, Ye.N., redaktor; SEVERIN, S.Ye., redaktor; SKRYABIN, K.I., redaktor; SMIRNOV, Ye.I., redaktor; TIMAKOV, V.D., redaktor; TUR, A.F., redaktor; SHABANOV, A.N., redaktor

[Great Medical Encyclopedia] Bol'shaia meditsinskaia entsiklopediia.
Glav.red. A.N.Bakulev. Chleny red.kollegii M.N.Anichkov i dr. Izd. 2-oe.
Moskva, Gos. izdevo med. litery. Vol. 1. A = Angiofibroma. 1956.
1216 columns. --- [Phonograph record and three-dimensional color
1216 columns. Grammofonnaia plastinka i ochki-svetofil'try.

(MEDICINE--DICTIONARIES)



"APPROVED FOR RELEASE: Monday, July 31, 2000

CIA-RDP86-00513R000929110

LEDEDINSKIY, A. V.

USSR/Human and Animal Morphology - Blood Circulation.

R-5

Abs Jour

Referat Zhur - Biologii, No 16, 70653

Author

Lebedinskiy, A.V.

Inst

Title

The Reaction of Cardio-Vascular System on Ionisation-

Radiation.

Orig Pub

Med. Radiologiya, 1956, 2, 3-9

Abstract

Survey of the action of ionization radiation on the

cardio-vascular system.

Card 1/1

- 122 -

APPROVED FOR RELEASE: Monday, July 31, 2000 CIA-RDP86-00513R000929110(

LEBE DIATELY Planingerick LEHEDINSKIY Andrey Vladimirovich, prof.; BENYUMOV, O.M., redaktor; OUBIN, M.I., tekhnicheskiy redaktor.

[Effect of ionizing radiation on the organs of animals and men] Vliianie ioniziruiushchei radiatsii na organizm zhivotnogo i cheloveka. Moskva, Izd-vo "Znanie," 1957. 55 p. (Vsesoiuznoe obshchestvo po rasprostraneniju politicheskikh i nauchnykh znanii. Ser.8, nos.35/36) (MIRA 10:11)

1. Chlen-korrespondent AMN SSSR (for Lebedir-kiy). (RADIATION - PHYSIOLOGICAL REFECT) BAKULEV, A.N., glavnyy red.; ANICHKOV, N.N., red.; BOLDYREV, T.Ye., red.;

ERUSILOVSKIY, L.Ya., red.; BYKOV, K.M., red.; VASILENKO, V.Kh.,

red.; VINOGRADOV, N.A., red.; GRASHCHENKOV, N.I., red.; DAVYDOVSKIY,

I.V., red.; ZDRODOVSKIY, P.F., red.; KAVETSKIY, R.Ye., red.;

KOCHERGIN, I.G., red.; KROTKOV, F.G., red.; KUPRIANOV, P.A., red.;

LEBEDINSKIY, A.V., red.; MALINOVSKIY, M.S., red.; MAN'KOVSKIY, B.N.,

red.; NESTEROV, A.I., red.; ORBELI, L.A., red.; PAVLOVSKIY, Ye.N.,

red.; SEVERIN, S.Ye., red.; SKRYABIN, K.I., red.; SMIRNOV, Ye.I.,

red.; TIMAKOV, V.D., red.; TUR, A.F., red.; SHABANOV, A.N., red.

[The Great Medical Encyclopedia] Bol'shain meditsinskaia

entsiklopediia. Glav.red. A.N.Bakulev. Chleny red.kollegii

N.N.Anichkov i dr. Moskva, Gos.izd-vo med.lit-ry. Vol.3.

(MEDICINE -- DICTIONARIES)

B - Bogolepova. Izd.2-oe. 1957. 1176 columns.

APPROVED FOR REE-ASE Monday July 31-2000 - CIARDP86-00-3-8 (0002-2) = (0.5-8)


LEBEDINSKIY, A. V. (Prof., Corr. Mem. Acad. Med. Sci. USSR)


"Radiation Trauma Due to the Effect of Various Types of Ionizing Radiation."


paper presented at 11th Session of General Conf. on the Problem of Trauma, Acad.


Med. Sci. USSR, Moscow, 15 - 20 Apr 57.


Sovetskoye Zdravookhraneneiye Kirgizii, Frunze, No. 6, Nov/Dec 57, pp 60-64.











LEBEDINSKIY, A. V. (Prof.)

"Radimactive Fallouts and Their Consequences for Humanity."

report distributed at the International Seminar on Peaceful Uses of Atomic Energy and the Youth, Moscow, August 1958.

"The Biological Effect of Small Doses of Ionizing Radiation", by A. V. Lebedinsky, Y. G. Grigoryev, and G. G. Demirchoglyan. Report presented at 2nd UN Atoms-for-Peace Conference, Geneva, 9-13 Sept 1958.

o professione especialismos de la presidente de la companya de la companya de la companya de la companya de la

YEMEL'YANOV, V.S., otv.red.; BARDIN, I.P., red.; VINOGRADOV, A.P., red.;

GOL'DANSKIY, V.I., red.; GULYAKIN, I.V., red.; DOLIN, P.I., red.;

YEFREMOV, D.V., red.; KRASIN, A.K., red.; LEREDINSKIY, A.W., red.;

MINTS, A.L., red.; MURIN, A.N., red.; NIZE, V.E., red.; NOVIKOV,

I.I., red.; SEMENOV, V.F., red.; SOBOLEV, I.N., red.; BAKHAROVSKIY,

G.Ya.; nauchnyy red.; BERKOVICH, D.M., nauchnyy red.; DANOVSKIY,

N.F., nauchnyy red.; DELONE, N.N., nauchnyy red.; KON, M.A.,

nauchnyy red.; KOPYLOV, V.N., nauchnyy red.; MANDEL'TSVAYG, Yu.B.;

MILOVIDOV, B.M., nauchnyy red.; MOSTOVENKO, N.P., nauchnyy red.;

MURINOV, P.A., nauchnyy red.; POLYAKOV, I.A., nauchnyy red.;

PREOBRAZHENSKAYA, Z.P., nauchnyy red.; RABINOVICH, A.M., nauchnyy red.;

SYSOYEV, P.V., nauchnyy red.; SHORIN, N.A., nauchnyy red.;

SHREYBERG, G.L., nauchnyy red.; SHTEYNMAN, R.Ya., nauchnyy red.;

KOSTI, S.D., tekhn.red.

[Concise atomic energy encyclopedia] Kratkaia entsiklopediia
"Atomnaia energiia." [___Tables of isotopes (according to published data available at the beginning of 1958)] ___Tablitsa izotopov (podannym, opublikovannym k nachalu 1958. 12 p. Gos. nauch. izd-vo "Bol'shaia sovetskaia entsiklopediia," 1958. 610 p. (MIRA 12:1)

1. Sotrudniki Bol'shoy Sovetskoy Entsiklopedii (for Bakharovskiy, Berkovich, Danovskiy, Delone, Kon, Kopylov, Mandel'tsvayg, Milovidov, Mostovenko, Murinov, Polyakov, Preobrazhenskaya, Rabinovich, Simkin, Skvortsov, Sysoyev, Shorin, Shreyberg, Shteynman).

(Atomic energy)

LEBEDINSKY, A-V.

BAKULEV, A.N., akad., glavnyy red.; ANICHKOV, N.N., red.; BOLDYREV, T. Ye., red.;

BRUSILOVSKIY, L.Ya., prof., red.; BYKOV, K.M., red.; VASILENKO,

V.Kh., red.; GRASHCHENKOV, N.I., prof., red.; DAYYDOVSKIY, I.V., red.;

ZDRODOVSKIY, P.F., red.; KAVETSKIY, R.Ye., red.; KOCHERGIN, I.G., red.;

KROTKOV, F.G., red.; KUPRIYANOV, P.A., red.; LEBEDINSKIY, A.V., red.;

MALINOVSKIY, M.S., red.; MANI'KOVSKIY, B.N., red.; NESTEROV, A.I., red.;

ORBELI, L.A., red.; PAVLOVSKIY, Ye.N., red.; SEVERIN, S.E., red.;

SKRYABIN, K.I., red.; SMIRNOV, Ye.I., red.; TIMAKOV, V.D., prof., red.;

TUR, A.F., red.; SHABANOV, A.N., prof., red.

[Great Medical Encyclopedia] Bol'shaia meditsinskaia entsiklopedia.

Izd. 2. Moskva, Gos. nauchnoe izd-vo "Bol'shaia sovetskaia
entsiklopediia." Vol. 7. [Gynatresia -burning. 1958. 1120 columns]
Ginatreziia-gorenie. [Phonograph record to accompany the article
"Golos"(voice of laryngectomees)] Grammofonnaia plastinka k stat'e
"Golos"(golos liaringektomirovannykh bol'nykh),[Three-dimensional
viewer] Ochki-svetofil'try.

(MEDICINE-DICTIONARIES)

and the market period of the first street are also desired and the companies of the compani

BAKULEV, A.N., glavnyy red.; ANICHKOV, N.N., red.; BOLDYREV, T.Ye., red.;
BRUSILOVSKIY, L.Ya., red.; BYKOV, K.M., red.; VASILENKO, V.Kh.,
red.; GRASHCHENKOV, N.I., red.; DAVYDOVSKIY, I.V., red.;
ZDRODOVSKIY, P.F., red.; KAVETSKIY, P.Ye., red.; KOCHERGIN, N.G.,
red.; KROTKOV, F.G., red.; KUPRIYANOV, P.A., red.; LEBEDINSKIY,
A.Y., red.; MALINOVSKIY, M.S., red.; MAN'KOVSKIY, B.N., red.;
NESTEROV, A.N., red.; CRBELI, L.A., red. PAVLOVSKIY, Ye.N., red.;
SEVERIN, S.Ye., red.; SKRYABIN, K.I., red.; SMIRNOV, Ye.I., red.;
TIMAKOV, V.D., red.; TUR, A.F., red.; SHABANOV, A.N., red.;
GRISHINA, L.A., tekhn, red.

[Great Medical Encyclopedia] Glav. red. A.N. Bakulev. Chleny red. kollegii N.N. Anichkov i dr. Moskva, Gos. izd-vo med. lit-ry. Vol.6. Vul'va - Ginantrop. Izd.2. 1958. 1184 columns. (MIRA 11:9) (Medicine--Dictionaries)


2012年1月12日 - 1212年1月1日 - 1212年1日 - 1212

BAKULEV, A.N., glav. red.; ANICHKOV, N.N., red.; BOLDYREV, T.Ye., red.;
BRUSILOVSKIY, L.Ya., red.; BYKOV, K.M., red.; VASILENKO, V.Kh., red.;
VINOGRADOV, N.A., red.; GRASHCHENKOV, N.I., red.; DAVYDOVSKIY, I.V.,
red.; ZDRODOVSKIY, P.F.. red.; KAVETSKIY, P.Ye., red.; KOCHERGIN,
I.G., red.; KROTKOV, F.G., red.; KUPRIYANOV, P.A., red.; LEBEDINSKIY,
A.V., red.; MALINOVSKIY, M.S., red.; MAN'KOVSKIY, B.N., red.;
NESTEROV, A.I., red.; ORBELI, L.A., red.; PAVLOVSKIY, Ye.N., red.;
SEVERIN, S.Ye., red.; SKRYABIN, K.I., red.; SMIRNOV, Ye.I., red.;
TIMAKOV, V.D., red.; TUR, A.F., red.; SHABANOV, A.N., red.;
KALINICHEV, V.A., tekhn. red.

[Great medical encyclopaedia] Bol'shaia meditsinskaia entsiklopediia.

[Phonograph record to accompany the article on "Congenital heart disease"] Grammofonnaia plastinka soderzhit zapis' zvukovykh iavlenii k stat'e "Vrozhdennye poroki serdtsa." Glav. red. A.N.Bakulev. Chleny red. kollegii N.N. Anichkov i dr. Izd.2. Moskva, Gos. izd-vo med. lit-ry. Vol.5. Vezikula - Vulkanizatsiia. 1958. 1248 columns.

(MEDICINE--DICTIONARIES) (MIRA 11:7)



SOV/89-5-3-11 15 Lebedinskiy, A. V., Grigor'yev, Yu, G., Demirchoglyan, G. J. · AUTHORS: On the Biological Effect of lonizing Radiation in Small Bores. I TITLE: (O biologicheskom deystvii icniziruyushchego izlucheniya v malykh dozakh) PERIODICAL: Atomnaya energiya, 1958, Vol. 5, Nr 3, pp. 310-316 (USSR) ABSTRACT: This is a summarizing account concerning the icilowing Soviet papers: N. I. Nuzhdin, N. I. Shapiro et al.: Disturbance of the sexual cycle in female mice after a daily irmdiation of 0,1 r for a period of 15 months. G. S. Strelin: With a dose of 2 r a retardation of the mitosis of the epithelium of the cornea of rats at times occurs. N. P. Smirnova (Laboratory A. V. Lebedinskiy): Irradiation of 50 r causes a phase-modification of irritability in the various centers of hypothalamic areas during stimulation by an electric current. Yu. G. Grigor'yev: The functional state of the human cerebral cortex during a therapeutical irradiation of the head and of the abdomen (electroencephalographical method). A. B. Tsypin: Recording of the biological activity of the brain of hares during irradiation with Card 1/2 a dosage of 0.13 to 0.03 r/sec (Method developed by M. H.

On the Biological Effect of Ionizing Radiation in Small Doses. I

Livanov). A. I. Danilenko, N. D. Stetsenko: Change of the frequency and amplitude of an electroencephalogram of a dog to which 0,1 to 1 mC/kg P^{52} is administered. T. K. Zyuzin: In the case of serious psychic diseases the cerebral cortex was found to become more sensitive already with respect to indicator doses of radioactive substances. Ye. S. London: The "light feeling" of the eyes as a result of the radiation of radioactive substances. Ts. M. Avakyan: The electroretinggram obtained after irradiation of the isolated eye of a freg with doses of 10 to 100 r. G. G. Demirchoglyan, G. T. Adunts, Ts. M. Avakyan: The influence of P32 on the functional properties of the retina of the eye of a frog. A. V. Lebedinskiy, G. G. Demirchoglyan: The influence exercised by small dones of radioactive strontium preparations upon the functional state of the retina. There are 3 figures and 33 references, 22 of which are Soviet.

(Continued on abstract 12/15)


Card 2/2

SOV/89-5-3-12/15 Lebedinskiy, A. V., Grigor'yev, Yu. G., Demirchoglyan, G. G. AUTHORS: TITLE: On the Biological Effect of Ionizing Radiation in Small Doses.II (O biologicheskom deystvii ioniziruyushchego izlucheniya v malykh dozakh) (Continued from abstract 11/15) PERIODICAL: Atomnaya energiya, 1958, Vol. 5, Nr 3, pp. 316-320 (UECR) A. V. Lebedinskiy, A. I. Peymer: The dependence of the regenera-ABSTRACT: tion and sensitivity of the retina on metabolic processes, especially on the carbon-water metabolism. A. V. Lebedinskiy, V. V. Yakoviev: Disturbed development of reflex-movement reactions (investigated in 300 embryos of rabbits). A. V. Lebedinskiy, Den Chrhi-chen: Decisive change of the nervous system of living beings that have been continuously fed with Sr 90 during embryogenesis. V. A. Muzheyev: The influence of radon radiation upon the functional state of nerves and muscles. A. I. Danilenko, N. D. Stetsenko: The nerve-cords undergo a modification of functional properties under the effect of irradiation if the radiation dose exceeds 17 erg/mm². N. Ye. Vyedenskiy: The shortening of the duration of nerve reflexes as a result of Card 1/2 small dones. V. N. Strel'tsova: If 1 500 - 1 860 MC Cc 15

SOV/89-5-3-12/15
On the Biological Effect of lonizing Radiation in Small Dores.iI

Ru 106 is administered to rats only once, the effect cabsing swelling is the same as 10 %0 - 160 µU/g mere administered for a period of 100 days. N. A. Krayevskiy and N. N. Litvinov obtained a similar result. There are 1 figure and % references, 22 of which are Noviet.

Card 2/2




LEBEDINSKIY, A.V., red.; ALYAB'YEV, A.F., red.; MAZEL', Ye.M., tekhn.red.


[Soviet scientists on the danger of testing nuclear weapons]
Sovetskie uchenye ob opesnosti ispytanii iadernogo oruzhiia.
Moskva, Izd-vo glav.upr.po ispol'zovanilu stomnoi energ. pri
Sovete ministrov SSSR, 1959. 116 p. (MIRA 12:5)

1. Chlen-korrespondent AMN SSSR (for Lebedinskiy).
(Radioactive fallout) (Radioacticity--Physiological effect)

LEBEDINSKIY, A.V., red.; KRAYEVSKIY, N.A., red.; KROTKOV, F.G., red.; GRIGOR'YEV, Yu.G., red.; MARGULIS, U.Ya., red.; PETROV, R.V., red.

[Collection of abstracts on radiation medicine for 1957] Sbornik referatov po radiatsionnoi meditsine za 1957 god. Moskva, Medgiz. Vol.1. 1959. 202 p. (MIRA 17:5)





LEBEDING KIY, A.V. 21(3,4); 17(10) PHASE I BOOK EXPLOITATION SOV/3394
21(3,4); 17(10) PHASE I BOOK EXPLOITATION SOV/3394
Neischerpayemyy (The Inexhaustible) Moscow, Atomizdat, 1959. 149 p. Errata slip inserted. 10,000 copies printed.
Compiler: V. P. Parkhit'ko; General Ed.: A. K. Krasin, Doctor of Physical and Mathematical Sciences, Professor; Ed.: N. M. Pchelintseva; Tech. Ed.: N. A.
Vlasova.
PURPOSE: This book is intended for the layman interested in the peaceful use of atomic energy.
COVERAGE: This book contains several reports by leading Soviet scientists, specializing in the peaceful uses of atomic energy, at the international seminar on "Youth and Peaceful Use of Atomic Energy," held in August, 1958, under the auspices of the Committee on Youth Organizations of the USSR.
TABLE OF CONTENTS:
It Happened in Moscow
Day by Day (Chronicle of a Seminar)
Card 1/3

The Inexhaustible	sov/3394	
Introductory Remarks (Professor A. A.	Sokolov)	18
Physical Principles of Atomic Power Er	ngineering (Professor A.K. Krasin)	22
Application of Isotopes and Atomic Rad and Industry (Professor P. L. Gruzin)	liations in Scientific Research	45
Application of Radioactive Isotopes in V. K. Modestov)	n Biology and Medicine (Professor	75
Radioactive Fallouts and Their ConsequA. V. Lebedinskiy)	uences for Humanity (Professor	89
Large-scale Industrial Experiment by Selection of More Economical Types of Physical and Mathematical Sciences 0	Power Reactors (Doctor of the	103
International Cooperation by the Sovie Atomic Energy (Professor D. V. Yefrem	et Union in the Peaceful Use of ov)	125
Card 2/3	-	

APPROVED FOR RELEASE: Monday, July 31, 2000 CIA-RDP86-00513R0009291100 SOV/3394

"We Are Satisfied With the Seminar"

Final Report by the Participants of the International Seminar on "Youth and the Peaceful Use of Atomic Energy"

AVAILABLE: Library of Congress

149

LEBEDINSKIY, A.V.

21(4); 17(0)

PHASE I BOOK EXPLOITATION

sov/2808

International Conference on the Peaceful Uses of Atomic Energy. 2d, Geneva, 1958

Doklady sovetskikh uchenykh; radiobiologiya i radiatsionnaya meditsina (Reports of Soviet Scientists; Radiobiology and Radiation Medicine)
Moscow, Izd-vo Glav. upr. po ispol'zovaniyu atomnoy energii pri
Sovete Ministrov SSSR, 1959. 429 p. 8,000 copies printed. (Series:
Vtoraya Mezhdunarodnaya konferentsiya po mirnomu ispol'zovaniyu atomnoy energii.
Trudy, tom 5)

General Ed.: A.V. Lebedinskiy, Corresponding Member, USSR Academy of Medical Sciences; Ed.: Z.S. Shirokova; Tech. Ed.: Ye.I. Mazel'.

PURPOSE: This book is intended for physicians, scientists, and engineers as well as for professors and students at vtuzes where radiobiology and radiation medicine are taught.

COVERAGE: This is Volume 5 of a 6-volume set of reports delivered by Soviet scientists at the Second International Conference on the Peaceful Uses of Atomic Energy, held on September 1-13, 1958, in Geneva. Volume 5 contains

Card 1/7

Reports of Soviet Scientists (Cont.)

SOV/2808

5

32 reports edited by Candidates of Medical Sciences S.V. Levinskiy and V.V. Sedov. The reports cover problems of the biological effects of ionizing radiation, future consequences of radiation in small doses, genetic effects of radiation, treatment of radiation sickness, uses of radioactive isotopes in medical and biological research, uses of atomic energy for diagnostic and therapeutic purposes, soil absorption of uranium fission products, their intake by plants, and their storage in plants and foodstuffs. References accompany each report.

TABLE OF CONTENTS

<u>Lebedinskiy, A.V., Yu.G. Grigor'yev</u>, and G.G. Demirchoglyan. Biological Effect of Ionizing Radiation in Small Doses (Report No. 2068)

Burykina, L.N., D.I. Zakutinskiy, N.A. Krayevskiy, E.B. Kurlyandskaya, N.N. Litvinov, Yu.I. Moskalev, A.P. Novikova, Yu.N. Solov'yev, and V.N. Strel'tsova. Remote Aftereffects of Injury by Small Doses of Radioactive Substances in Chronic Exposure (Report No. 2077)

Gorizontov, P.D. Problem of Pathogenesis of Acute Radiation Sickness in the Pathophysiological Phase (Report No. 2316)


Card 2/7


LEBEDINSKIY, A.V., red.; SEDOV, V.V., kand. med. nauk, red.; SEROVA, V.P., red.; SHIROKOVA, Z.S., red.; MAZEL', Ye.I., tekhn. red.

[Transactions. Selected reports by foreign scientists] Trudy. [Izbrannye doklady inostrannykh uchenykh] Moskva, Izd-vo Glav. uprav. po ispol'zovaniiu atomnoi energ. pri sovete Ministrov SSSR. Vol. 9. [Radiobiology
and radiation medicine] Radiobiologiia i radiatsionnaia meditsina. Pod
obshchei red. A.V.Lebedinskogo. 1959. 515 p. (MIRA 14:7)

1. Vtoraya mezhdunarodnaya konferentsiya po mirnomu ispol'zovaniyu atomnoy energii, Zheneva, 1958. 2. Chlen-korrespondent AMN SSSR (for Lebedinskiy)

(RADIOBIOLOGY) (ATOMIC MEDICINE)





"APPROVED FOR RELEASE: Monday, July 31, 2000

CIA-RDP86-00513R000929110

21(3), 17(3) AUTHOR:	Lebedinskiy, A. V.	3CY/89-6-2-11/28
TITLE:	On the Biological Effect of Radivii izlucheniy)	iation (O biologicheskom deys
PERIODICAL:	Atomnaya energiya, 1959, Vol 6, Nr 2, pp 187 - 199 (USSR)	
ABSTRACT:	This paper gives a survey of var wherein Western reports published Conference are referred to: 1) Biophysics and Biochemistry: following Geneva Reports: 244, 1052, 1236, 1533, 1586, 1618, 16239, 2248, 2319, 2320, 2414. 2) Phenomena concerning the cel following Geneva Reports: 95, 1884, 886, 893, 896, 897, 903, 9 1846, 2074, 2281, 2476. 3) Phenomena concerning the who to the following Geneva Reports 992, 1053, 1278, 1289, 1405, 20	Reference is made to the 859, 886, 901, 913, 920, 994 652, 1657, 1687, 2079, 2117, l: Reference is made to the 11, 170, 137, 290, 588, 842, 07, 1391, 1654, 1695, 1844, le organism: Reference is ma : 469, 473, 479, 489, 891, 8 68, 2132, 2237, 2315, 2480.
Card $1/2$	4) Toxic Products: Reference is	made to the following Repor

On the Biological Effect of Radiation


SOV/89-6-2-11/28

61, 85, 96, 97, 99, 109, 110, 241, 292, 487, 490, 555, 859, 885, 888, 889, 890, 894, 897, 900, 903, 905, 909, 910, 911, 912, 1007, 1060, 1130, 1390, 1695, 1697, 1797, 1857, 2070, 2073, 2077, 2080, 2121, 2238, 2248, 2316. 5)Radiation effect on the developmental processes: The following Geneva Reports are referred to:237, 292, 899, 902, 1344, 1684. 6) Chemical protection: The following Geneva Reports are referred to: 242, 556, 898, 915, 991, 993, 995, 996, 1289, 1655, 1686, 1694, 1798, 2113, 2121, 2248, 2320. 7) General theoretical conclusions: The following Geneva Reports are referred to: 108, 109, 218, 293, 388, 397, 1698, 1784, 1906, 2068, 2018, 2324. Professor V. S. Balabukhe, N. M. Demin, M. P. Domshlak, N. A. Krayevskiy, Z. M. Makil'nitskaya, S. I. Krauze assisted in the compilation.

SUBMITTED:


November 13, 1958

Card 2/2



"APPROVED FOR RELEASE: Monday, July 31, 2000

CIA-RDP86-00513R000929110



PHASE I BOOK EXPLOITATION

sov/5578

Lebedinskiy, Andrey Vladimirovich, and Zinaida Nikolayevna Nakhil'nitskaya

Vliyaniye ioniziruyushchikh izlucheniy na nervmuyu sistemu (Effects of Ionizing Radiation on the Nervous System) Moscow, Atomizdat, 1960. 186 p. 5,000 copies printed.

Ed.: A.I. Zavodchikova; Tech. Ed.: Ye. I. Mazel'.

PURPOSE: This book is intended for radiobiologists, physiologists, and neurologists.

COVERAGE: The book discusses the effects of ionizing radiation on the nervous system. Nerve tissue sensibility, changes in the functional condition of the nervous system and its sensory perception mechanisms, and the reaction mechanism of the entire organism in response to radiation are discussed. The importance of conditioned reflexes and electrophysiological analysis in investigating the effects of radiation is pointed out. A brief resume is given of the work of Russian scientists in this field of research. No personalities are mentioned. There are 506 references: 369 Soviet, 93 English, 31 German, 8 French, 2 Japanese, & Czech, I Polish, I Itahan. Card 1#

LEBEDINSKIY, A.V.

PHASE I BOOK EXPLOITATION

507/4117

Radiatsionnaya meditsina; posobiye dlya vrachey i studentov (Radiation Medicine; Textbook for Physicians and Students). Moscow, Atomizdat, 1960. 313 p. 6,000 copies printed.

Eds.: A.I. Burnazyan, Docent and A.V. Lebedinskiy, Professor; Tech. Ed.: N.A. Vlasova.

PURPOSE: This textbook is intended for students in medical schools, and physicians interested in the applications of radioactive elements in biology and medicine.

COVERAGE: This is a handbook on the applications of radioactive substances in the diagnosis and treatment of diseases, basic methods in the prevention of radiation disease, and existing methods of dosimetric control. Data used in the book is based on the results of experimental research in the field of radiation pathology, material from foreign sources containing data on the aftereffects of the atomic explomaterial from foreign sources containing data on the aftereffects of the atomic explosions in Japan, and on clinical studies of accidents at atomic installations in the USA. No personalities are mentioned. There are no references.

card 1/8

Radiation Medicine; Textbook for Physicians and Students SOV/4117	
Preface (Lebedinskiy, A.V., Professor, Corresponding Member, Academy of Medicine USSR)	3
Ch. I. Physics and Dosimetry of Penetrating Radiation (Shtukkenberg, Yu.M., Candidate of Technical Sciences) Structure of the atom Structure of the nucleus (nuclear transmitations) Discovery of radioactivity Natural transmitation of nuclei Artificial transmitation of nuclei Law of radioactive decay Nuclear forces Binding energies of particles in the nucleus Generation of nuclear energy Interaction of radiation with matter Interaction of charged particles with matter Interaction of neutrons with matter Interaction of neutrons with matter	5 5 5 5 8 11 20 24 27 33 35 36
Card 2/8	

Radiation Medicine; Textbook for Physicians and Students SOV/4117	39
Dosimetry of lonizing radiation	39
Dosimetry of Administration	
Radiation dose Reasurement of physical dose of radiation and Measurement of physical dose [R-units/sec.]	43
Measurement of physical about a surface intensity of the dose [R-units/sec.]	49
Charged particle counters Charged particle counters Charged particle counters	55 60
mod109CT1VE IQUIANA	6
The design of design to the design of the de	6
Determination of neutron dose by measuring the induced Determination of neutron dose by measuring the induced Methods of determining content of active substances in the organism	6
Determination of determining content of active substances in the	7
Maximum permissible doses	8
	8
Pattern of the atomic explosion	8
Shock wave	9
recht redistion	9
net-own miclear radiation	
Residual muclear radiation	
a secondaria contamination unime un secondaria	
Radioactive contamination during a ground burst Radioactive contamination during underground and underwater bursts Radioactive contamination during underground and underwater bursts	,
Delicative contamination during underground	

公司可以对抗,以为政治的政治的,就是是一种企业的企业,就是一种企业的企业,就是一种企业的企业,就是一种企业的企业,但是一种企业的企业,但是一种企业的企业,但是一种 1987年,1988年,1988年,1988年,1988年,1988年,1988年,1988年,1988年,1988年,1988年,1988年,1988年,1988年,1988年,1988年,1988年,1988年,1	
SOV/4117	
Radiation Medicine; Textbook for Physicians and Students SOV/4117	100
Special features of the hydrogen bomb explosion	100
Special features of the hydrogen bomb or products Methods of measuring area contamination from products of an atomic explosion	101
n N N Professor, and	
Ch. II. General Radiobiological Data (Demin, N.N., Professor, and A.V. Lebedinskiy, Prof., Corresponding Member, Academy of Medicine USSR)	103
a nestation Affection (Gorizontov, P.D.,	112
Types of ionizing radiation and special features of their effects	112
Types of ionizing radiation and special reactives of ionizing radiation and special reactives of atomic Regularity patterns in the development of acute radiation sickness. Causes of death from ionizing radiation. Aftereffects of atomic	113
Causes of death from Lonizing responsion	120
General problems of pathogenesis	129
ma- marroug system	129
The cortex Higher nervous activity	134
Vegetative centers. Spinal cord	135
Peripheral nervous system	
Card 4/8	
·	

api Seranda e		COLUMN STATE OF THE PARTY OF TH
	SOV/4117	
	Radiation Medicine; Textbook for Physicians and Students SOV/4117	178
	7.00cm - 1-1-1	138
	Metabolism	138
	Albumin exchange	140
	Carbohydrate exchange	141
	Fat exchange	141
	Oxidation processes	142
	Problem of toxaemia	149
	Blood system	149
	Demanics of blood changes in the Ferry	151
	mosetions (first nours at our state the letent period	エンエ
	reactions (first hours after exposure) reactions (first hours after exposure) Dynamics of changes in blood composition in the latent period Dynamics of changes in blood in the clinical development period	155
	Dynamics of changes in brook in	155 162
	of the disease	102
:	Dynamics of blood change under chronic of blood changes	167
	pole of infection is to an area	168
	during radiation exposure	170
	Effect of neutron irradiation on block	170
.0	4 7	174
	Disturbance of blood chound provide	→ (→
	Change in penetrability	
	card 5/8	
	~ · · · · · · · · · · · · · · · · · · ·	

Radiation Medicine; Textbook for Physicians and Students 80V/4117	
Change in strength of capillaries	176
Cardiovascular system	178
Peripheral vessels	178
Activity of the heart	179
Blood pressure	180
Change in venous blood pressure	183
Change in volume of circulating blood, plasma and red blood corpusqles	18
System of respiratory organs	189 186
Gastrointestinal tract, liver and kidneys	19:
Endocrine glands	19
Reactions of the organism Effect of various factors on the development of radiation affection	19
Effect of irradiation on the defense mechanisms of the organism	20
Ch. IV. Infection and Immunity in Irradiated Animals (Klemparskaya, N.N.,	
Professor, and R.V. Petrov, Candidate of Medicine)	209
Infection processes in the exposed organism	210
Endogenous infection in the case of radiation sickness	21.
Exogenous infections	21/
Biological immunization reaction of exposed organism	219

Radiation Medicine; Textbook for Physicians and Students SOV/4117	•
Effect of radiation on natural immunity Artificial immunity of exposed organisms Allergy in exposed organisms	219 221 223
Ch. V. Toxicology of Radioactive Substances (Zakutinskiy, D.I. Professor) Significance of physicochemical properties of radioactive substances The ways radioactive substances enter the organism Distribution of radioactive substances in the organism Elimination of radioactive substances from the organism Conditions influencing the nature of the effect of radioactive substances Therapy of affection caused by radioactive substances	225 226 229 232 235 237 243
Ch. VI. Delayed Aftereffects of Affection Caused by Ionization Radiation (Zakutinskiy, D.I., Professor)	248
Card 7/8	

·	
Radiation Medicine; Textbook for Physicians and Students SOV/4117	
Ch. VII. Clinic for and Treatment of Radiation Sickness (Kurshakov, N.A., Corresponding Member, Academy of Medicine USSR, and I.S. Glazunov, Professor) Acute radiation sickness Therapy during radiation sickness Chronic radiation sickness Diagnosis of chronic radiation sickness	255 255 271 27 ¹ 4 275
Ch. VIII. Utilization of Chemical Compounds to Protect Organism From Ionization Radiation (Romantsev, Ye.F., Candidate of Biology)	276
Ch. IX. Pathologic Anatomy of Radiation Affection (Krayevskiy, N.A., Professor, Corresponding Member, Academy of Medicine JSSR)	284
AVAILABLE: Library of Congress Card 8/8	JA /cdw/mas 9-2-60

LEBEDINSKIY, A-V.

PHASE I BOOK EXPLOITATION

SOV /5435

Kiselev, P. N., Professor, G. A. Gusterin, and A. I. Strashinin, Eds.

Voprosy radiobiologii. t. III: Sbornik trudov, posvyashchennyy 60-letiyu so dnya rozhdeniya Professora M. N. Pobedinskogo (Problems in Radiation Biology. v. 3: A Collection of Works Dedicated to the Sixtieth Birthday of Professor M[ikhail] N[ikolayevich] Pobedinskiy [Doctor of Medicine]) Leningrad. Tsentr. n-issl. in-t med. radiologii M-va zdravookhrananiya SSSR, 1960. 422 p. 1,500 copies printed.


Tech. Ed.: P. S. Peleshuk.


PURPOSE: This collection of articles is intended for radiobiologists.


COVERAGE: The book contains 49 articles dealing with pathogenesis, prophylaxis, and therapy of radiation diseases. Individual articles describe investigations of the biological effects of radiation carried out by workers of the Central Scientific Research Institute for Medical Radiology of the Ministry of Public Health, USSR. [Tsentral'nyy nauchno-issledovatel'skiy institut meditsinskoy radiologii Ministerstva zdravookhraneniya SSSR] during 1958-59. The following

Card 1/10

·	
Problems in Radiation Biology (Cont.) topics are covered: various aspects of primary effects of radiation; course of some metabolic processes in animals subjected to ionizing raceions in irradiated organisms; morphologic changes in radiation di reactions in irradiated organisms; morphologic changes in radiation. So and reparation and regeneration of tissues injured by irradiation. So articles give attention to the effectiveness of experimental medical tracticles give attention to the effectiveness of experimental medical to personalities are mentioned. References accompany almost all of the	ome
TABLE OF CONTENTS:	. 3
Foreword Gusterin, G. A., and A. I. Strashinin. Professor Mikhail Nikolayevich Pobedinskiy (Commemorating his Sixtieth Birthday)	5
Lebedinskiy, A. V. [Member, Academy of Medical Sciences obser], N. I. Arlashchenko, and V. M. Mastryukova. On the Mechanism of Trophic	נו
Disturbances Due to lonizing Karratoron Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A. Zedgenidze, G. A.	17
Card 2/10	









Summation of the inhibition process. Fiziol. zhur. 46 no. 5:509-515 My '60.

1. From Polenov Research Neurosurgical Institute, Leningrad. (INHIBITION)





ZAREISKAYA, Yuliya Mikhaylovna; LEBEDINSKIY, A.V., prof., red.; BARAHOVA, Ye.F., red.; BEL'CHIKOVA, Yu.S., tekhn. red.

[Lymphoid organs in radiation pathology] Limfoidnye organy v luchevoi patologii. Pod red.A.V.Lebedinskogo. Moskva, Medgiz, 1961. 111, p. (MIRA 15:3)

I. Deystvitel nyy chlen Akademii meditsinskikh nauk SSSR (for (RADIATION SICKNESS)

(LIMPHOID TISSUE)

LEBEDINSKIY, A.V., zasl. deyatel' nauki, prof., red.; MOSKALEVA,

Yu.I., doktor med. nauk, red.; LANDAU-TYLKINA, S.P., red.;
LYUDKOVSKAYA, N.I., tekhm. red.

[Distribution, biological activity and migration of radioactive isotopes] Raspredelenie, biologicheskoe deistvie i migratsiia radioaktivnykh izotopov. Moskva, Medgiz, 1961. 342 p. (MIRA 15:2)

l. Deystvitel'nyy chlen Akademii meditsinskikh nauk SSSR (for Lebedinskiy).

(RADIOISOTOPES—PHYSIOLOGICAL EFFECT)

ORBELI, Leon Abgarovich [deceased]; VOYNO-YASENETSKIY, A.V., red. toma; VOSKRESENSKAYA, A.K., red. toma; KOSHTOYANTS, Kh.S., red.[deceased]; ASRATYAN, E.A., red.; KREPS, Ye.M., red.; GINETSINSKIY, A.G., red.; LEBEDINSKIY, A.V., red.; TONKIKH, A.V., prof., red.; GOL'DANSKAYA, M.I., red. izd-va; SMIRNOVA, A.V., tekhn. red.

[Selected works in five volumes] Izbrannye trudy v piati tomakh. Moskva, Izd-vo Akad. nauk SSSR. Vol.1. [Problems of evolutionary physiology] Voprosy evolutsionnoi fiziologii. 1961. 455 p. (MIRA 14:9)

1. Chleny-korrespondenty AN SSSR (for Koshtoyants, Astatyan, Kreps).
2. Chleny-korrespondenty Akademii meditsinskikh nauk SSSR (for Ginetsinskiy, Lebedinskiy).

(PHYSIOLOGY)

32745

s/205/61/001/006/005/022

D268/D305

27.2400

also 2209

AUTHORS:

Buldakov, L.A., Lebedinskiy, A.V., and Petrova, A.S.

TITLE:

On the role of toxic factors in the pathogenesis of

radiation sickness

PERIODICAL: Radiobiologiya, v. 1, no. 6, 1961, 851 - 855

TEXT: In 6 dogs, weight 10 ± 0.76 kg, the thoracic duct was exposed in the neck under narcosis and a glass or chlorovinyl canule inserted to drain off all lymph entering the duct. Immediately after the operation the area was irradiated with X-rays at a dose of ter the operation the area was irradiated with X-rays at a dose of 1,200 r using an -3 apparatus (RUM-3 mass X-ray unit 3) with a dose rate of 66 r/min. After irradiation 20 ml. of an isotonic sodium chloride solution was given intravenously to increase the sodium chloride solution was given intravenously to increase the lymph drainage, which was continued for 1 - 2 days. Peripheral lymph drainage, which was continued for 1 - 2 days. Peripheral blood composition was studied for 60 days before and at different blood composition. At the time of the experiment the general times after irradiation. At the time of the experiment the general condition of 5 of the dogs was good and their appetites satisfactory. Rectal temperature was 38.5 - 39.5°C. On the seventh day body

Card 1/3

32745

S/205/61/001/006/005/022 D268/D305

On the role of toxic factors in ...

weight fell on an average from 10 to 8.5 kg, beginning to recover from the 12th day. The peripheral blood picture changed very little. For the first twenty-four hours by the sixth hour after irradiation mild neutrophilic leukocytosis developed from 8.21 to 20.5 thousand/mm3 blood, while in the leukocytic fraction the number of neutrophils increased with 12.8 - 13.1 thousand mature and 5.17 thousand young forms per mm3. From the third day after irradiation the total number of leukocytes in the blood was nearly back to the initial number. During the 3rd -7th day there was a very slow recovery in the quantity of eosinophils and lymphocytes, the original number being attained from the 25th day. In the early period after irradiation eosinophils were reduced by 0 - 0.4 % and lymphocytes by 2.6 %. Changes in the white blood cell picture, therefore, observed in the irradiated dogs after the insertion of the fistula, differ considerably from those characteristic for radiation sickness, the typical leukopenia being absent. There was scarcely any change in the red blood cells, the erythrocyte content being 5 - 6 million/mm3. By the 6th hour in most of the dogs erythrocytes increased from 5.6 to 6.6 million without any increase in hemoglobin. Card 2/3

32745 S/205/61/001/006/005/022 D268/D305

On the role of toxic factors in ...

From the 7th - 15th day of the experiment in 3 of the dogs reticulocytes had increased 1.4 - 4.4 %, gradually returning to normal. The increase began at the time when blood was noted in the feces. The experiments showed that when a large quantity of lymph was removed from the organism, there were no signs of severe radiation sickness in dogs at and 24 hours after irradiation, though exposure to a dose of 1,200 r in normal conditions causes it, usually with subsequent death. In these experiments only 1 dog died. Hemorrhage was observed in the intestine only which was not directly irradiated. The fact that hemorrhage can be prevented by removal of tissue fluid and lymph from the irradiated organ is an indication that toxic products produced in the organ play a major role in the origin of hemorrhage. There are 1 table and 25 references; 23 Sovietbloc and 2 non-Soviet-bloc. The references to the English-language publications read as follows: F.P. Ellinger, D.B. Poswit and S. Glasser, Amer. J. Rentgenol., 6, 102, 1949; L.O. Jacobson, E. Marks and E. Lorenz, Radiology, 52, 3, 371, 1949.

SUBMITTED: May 19, 1961

Card 3/3

LEBEDINSKIY, A.V., prof.

Biophysics, biology, medicine. Zdorov's 7 no.7:1-3 Jl '61.


(MIRA 14:6)


1. Deystvitel'hyr chlen Akademii meditsinskikh nauk SSSR.

(BIOPHYSICS)

(BIOLOGY)

(MEDICINE)





IEBEDINSKIY, A.V., zasl. deystel' nauki, prof., red.; MOSKALEV, Yu.I.,
doktor med. nauk, red.; LANDAU-TYLKINA, S.P., red.; KUZ'MINA, N.S.,
tekhn. red.

[Plutonium-239; its distribution, biological action, and the
acceleration of its excretion] Plutonii-239; raspredelenie, biologicheskoe deistvie, uskorenie vyvedeniia. Noskva, Medgiz,
1962. 167 p.

1. Deystvitel'nyy chlen Akademii meditsinskikh nauk SSSR (for
Lebedinskiy).

(PLUTONIUM)

DURMISH'YAN, M.G., prof., red.[deceased]; LEBEDINSKIY, A.V., prof., red.; AZHIPA, Ya.I., red.; BEL'CHIKOVA, Yu.S., tekhn. red.

[Body reactions to the action of small doses of ionizing radiations]Reaktsii organizma na deistrie malykh doz ioniziruiushchei radiatsii. Moskva, Medgiz, 1962. 302 p.

(MIRA 15:11)

1. Deystvitel'nyy chlen Akademii meditsinskikh nauk SSSR (for Lebedinskiy).


(RADIATION--PHYSIOLOGICAL EFFECT)

SISAKYAN, N.M., akademik, glav. red.; CHERNICOVSKIY, V.N., akademik, red.; FARIS, V.V., red.; LESEDINSKIY, A.V., red.; YAZDOVSKIY, V.I., doktor med. nauk, prof., red.; CAZENKO, O.G., doktor biol. nauk, red.; GONCHALOVA, L.S., red. izdva; POLYAKOVA, T.P., tekhn. red.

> [Problems of space biology]Problemy kosmicheskoi biologii. Pod red. N.M. Sisakiana. Moskva, Izd-vo Akad. nauk SSSR. (MIRA 15:10) Vol.1. 1962. 461 p.

1. Akademiya nauk SSSR. Otdeleniye biologicheskikh nauk. 2. Deystvitel nyy chlen Akademii meditsinskikh nauk SSSR (for Parin, Lebedinskiy).

(SPACE BIOLOGY)



ACCESSION NR AMJOSL708

BOOK EXPLOITATION

s/

Burnazyan, A. I.; Lebedinskiy, A. V., eds.

Radiation medicine; textbook for physicians and students (Radiatsionnaya meditsina; posobiye dlya vrachey i studentov), 3d ed., rev. and enl., Moscow, Gosatomisdat, 37l p. illus., biblio. Errata slip inserted. 7,800 copies printed.

TOPIC TAGS: radiation medicine, infection, immunity, toxicology, pathological physiology, radiation damage, skin radiation damage, radiation illness treatment

TABLE OF CONTENTS [abridged]:

Preface to the third edition -- 3

Ch. I. Physics and dosimetry of ionizing radiation (Yu. M. Shtukenberg) -- 5

Ch. II. Pathological physiology of radiation damage (P. D. Gorizontov) -- 134

Ch. III. Infection and immunity in irradiated organisms (N. N. Klemparskaya and R. V. Petrov) -- 232

Ch. IV. Toxicology of radioactive substances (D. I. Zakutinskiy) - 258

Ch. V. Pathological anatomy of radiation damage (N. A. Krayevskiy) -- 287

Ch. VI. Chemical protection of organisms from ionizing radiation (Ye. F. Romantsev)

Card 1/2

APPROVED FOR RELEASE: Monday, July 31, 2000

CIA-RDP86-00513R000929110(

••••••••••••••••••••••••••••••••••••••	· · · · · · · · · · · · · · · · · · ·	
ACCESSION NR AMIO214708		
Ch. VII. Clinic and treatment Glazumov) 326 Ch. VIII. Acute radiation dama		
om 000% 10	SUBMITTED: 12Sep63	NR REF SOV: 127
SUB CODE: LS. OTHER: 039	DATE ACQ: 16Apr61	; · · ·
		•
	•	•
Card 2/2		

ARLASHCHENKO, N.I.; LEBEDINSKIY, A.V., nauchnyy rukovoditel' Importance of the peripheral innervation apparatus in the development of changes in the permeability of the vascular barrier after the action of ionizing radiations. Biul. eksp. biol. i med. 54 no.8:

(MIRA 17:11)

1. Deystvitel'nyy chlen AMN SSSR (for Lebedinskiy).

22-25 Ag 162.

TSYPIN, A.B.; LEBEDINSKIY, A.V., prof., rukovoditel' rabety

Some direct reactions of the nervous system to the action of ionizing irradiation. Biul. eksp. biol. i med. 56 no.9:34-37 (MIRA 17:10) S '63.

1. Predstavlena deystvitel'nym chlenom AMN SSSR A.V. Lebedinskim.

ACCESSION NR: AT4042699

5/0000/63/000/000/0333/0339

AUTHOR: Lebedinskiy, A. V.; Arlashchenko, N. I.; Bokhov, B. B.; Grigor'yev, Yu.G.; Kvasnikova, L. N.; Farber, Yu. V.

TITLE: The importance of the vestibular anlayzer in the selection and training of cosmonauts

SOURCE: Konferentsiya po aviatsionnoy i kosmicheskoy meditsine, 1963. Aviatsionnaya i kosmicheskaya meditsina (Aviation and space medicine); materialy* konferentsii. Moscow, 1963, 333-339

TOPIC TAGS: rotating chamber, tilt table, rotation effect, man, Coriolis accelera-

ABSTRACT: One of the main criteria upon which the system of cosmone it selection should be based is the evaluation of the vestibular analyzer. The evaluation of other systems (i. e., the visual analyzer, the retina and muscles of the eye, and interoceptors) which enable a cosmonaut to orient himself in space should be of almost equal importance in the selection program. Experience has shown that a

Card 1, 1/5

ACCESSION NR: AT4042699

disruption of information concerning the position or the movement of the body can lead to vegetative disorders. This consideration led to studies of the analyzer systems of each of the cosmonauts, the interaction between analyzer systems, and the condition of vegetative functions during unusual interaction between analyzers (such as the conditions which arise during space flight). The special conditions arising during space flight are limitation of afferentation in a weightless state and the presence of unusual stimulation (vibration, noise, etc.). The differentiated study of the vestibular analyzer should include determination of the threshhold sensitivity of the semicircular canals to an adequate stimulus, determination of a reactivity curve during application of angular accelerations of various magnitudes, determination of adaptive abilities to the action of angular acceleration, and tests with Coriolis acceleration. The research on threshold sensitivity of the semicircular canals to adequate stimuli was performed for both positive and negative acceleration. Research performed on fifty healthy persons indicated that the scope of variation of threshold sensitivity is not great. It varies from 0.1 to 0.50 per sec² (20 second action of acceleration) for positive accelerations, and 1.5 to 5° per second (for a stop stimulus of 0.15 seconds) for negative accelerations. However, various outside stimuli and physical conditions of the environment can greatly affect the thresholds of vestibular sensitivity. The data

APPROVED FOR RELEASE: Monday, July 31, 2000 CIA-RDP86-00513R000929110(

ACCESSION NR: AT4042699

obtained indicate that the study of vestibular thresholds will be very helpful in the early detection of hidden disturbances in the activity of the analyzer value danger to detected easily by other nexus. The most common forms of investigating the functions of the schicircular canals are various rotational tests. Current trends indicate that testing in the near future will be based on methods of minimal stimulation and successive rotations of increasing intensity. Evaluation will have to be based on methods which lend themselves to quantitative analysis. Numerous experiments have shown that training consisting of the systematic stimulation of the vestibular mechanism with the aid of various exercises as contational tests increases the vestibular stability of the subjects. The space with which adaptation takes place varies with each individual. This results in the problem of developing a test for the objective evaluation of the degree of adapt tion. Tests based on registration of mystagmus are inadequate because they and to take into account the vegetative complex. Apparently, the real picture or aptive qualities of the vestibular analyzer can only be obtained from a our ray evaluation involving vestibular-vegetative, vestibular-somatic, and sensor, reactions arising in response to repeated stimulations. Laboratory studies are currently being conducted in this area. The use of Coriolis accelerations as a test has as its purpose the study of the summary reaction which arises in labyrinth recept Card III x/5

"APPROVED FOR RELEASE: Monday, July 31, 2000 CI

CIA-RDP86-00513R000929110



ACCESSION NR: AT4042699

ore in response to stimulation obtained during the combined action of angular and linear accelerations. Laboratory tests with the periodic application of Coriolis accelerations accompanied by slow rotation have indicated that even a short rotation leads to a disruption of walking, to a change in skin temperature, and to a change in the pulse frequency. At the same time, a lowering of the threshold of sensitivity to Coriolis accelerations was noted without the threshold to rugular acceleration being affected. A very interesting interrelationship exists between the vestibular and optical analyzers. Laboratory experiments have confirmed that stimulation of the retina has an inhibiting effect on the vestibular analyzer. Tests have indicated that the result of interaction between the optical and the vestibular stimuli is determined by the functional condition of the vestibular analyzer was increased by radioactivity, inhibition of spontaneously arising nystagmus by optical stimulation of the retina became more distinct. The level of excitability of the vestibular analyzer was achieved by means of radioactive tars.

ASSOCIATION: none

The state of the state of the

APPROVED FOR RELEASE: Monday, July 31, 2000 C(A-RDP86-00513R000929110

ACCESSION NR: AT4042699

SUBMITTED: 27Sep63

ENCL: 00

SUB CODE: LS

NO REF SOV: 000

OTHER: 000

s/0000/63/000/000/0339/0343

AUTHOR: Lebedinskiy, A. V.; Arlashchenko, N. I.; Busy*gin, V. Ye.; Vartbaronov, R. A.; Veselov, A. S.; Volokhova, N. A.; Grigor'yev, Yu. G.; Yemel'yanov, H. D.; Kalyayeva, T. V.; Kry*lov, Yu. V.; Polyakov, B. I.; Farber, Yu. V.

TITLE: Effects of Coriolis accelerations on the human organism

SOURCE: Konferentsiya po aviatsionnoy i kosmicheskoy meditsine, 1963. Aviatsionnaya i kosmicheskaya meditsina (Aviation and space medicine); materialy konferentsii. Moscow, 1963, 339-343

TOPIC TAGS: vestibular analyzer, cosmonaut selection, cosmonaut training, semicircular canal, acceleration, rotation, nystagmus, optical analyzer, Coriolis acceleration

ABSTRACT: Studies of the effect of prolonged Coriolis accelerations on the human organism must be made as a preliminary step toward the creation of artificial gravity in spaceships. Studies were performed in a alowly rotating MBK-1 chamber (a cylindrically shaped room 2.1 m in diameter and 2.3 m high, equipped with two armchairs). In the first series of experiments, 13 healthy persons were subjected

Card 1/2

Approved for Release monday, July 31, 2000 - Clardes 6:005 structer

to prolonged rotation of 1 to 5 hours at an angular velocity of 5.30/sec. In the second series of experiments, 4 subjects were rotated for 24 hours at angular velocities of 5.3, 10.6, and 21.20/sec. Coriolis accelerations were created periodically by tilting the body and head in a plane perpendicular to the plane of rotation of the chamber at the rate of 1 movement/sec. Prolonged stay of subjects with normal vestibular sensitivity under conditions of rotation at 5.3, 10.6, and 21.20/sec resulted in functional changes in the condition of the central nervous system and the cardiovascular system, and in disruption of the body temperature control and the balancing function. The degree of vegetative disorders was found to be directly proportional to the speed of rotation and the degree of vestibular sensitivity of the subjects. During cumulative action of Coriolis accelerations, the majority of the subjects developed an adaptation which was noted from 1 to 5 hours after beginning of the rotation. On the basis of the results obtained, the method of prolonged slow rotation is recommended for training purposes.

ASSOCIATION: none

SUBMITTED: 27Sep63


ENCL: 00

SUB CODE: LS

NO REF SOV: OOO

OTHER: OOO

Card 2/2



KRAYEVSKIY, N.A., red.; LEBEDINSKIY, A.V., red.; SHOLYAN, G.L., red.

[Restorative processes in radiation lesions; collection of articles] Vosstanovitel'mye protsessy pri radiatsionnykh porazheniiakh; sbornik statei. Moskva, Atomizdat, 1964. 243 p.

(MIRA 17:5)

1. Deystvitel'myye chlemy AMN SSSR (for Krayevskiy, Lebedinskiy).

ANOKHIN, P.K., red.; KOSTYUK, P.G., red.; KRYZHANOVSKIY, G.N., red.: LEBEDINSKIY, A.V., red.; MENITSKIY, D.N., red.; MUZYKANTOV, V.A., red.; PARIN, V.V., red.; ROYTBAK, A.I., red.; KULLANDA, K.M., red.

[Contemporary problems of electrophysiological studies of the nervous system] Sovremennye problemy elektrofiziologicheskikh issledovanii nervnoi sistemy. Moskva, Meditsina, 1964. 519 p. (MIRA 17:7)

1. Akadamiya meditsinskikh nauk SSSR, Moscow.

CIA-RDP86-00513R000929110

LEBEDINSKIY, A. V.; LEVINSKIY, S. V.; NEFEDOV, Yu. G.

"The general principles in reaction of the organism on the complex environmental factors acting in the cabins of cosmic vehicles."

report submitted for 15th Intl Astronautical Cong, Warsaw, 7-12 Sep 64.

ard

s/2865/64/003/000/0278/0288

AUTHOR: Lebedinskiy, A.V.; Grigor'yev, Yu. G.; Lyubimova-Gorasimov, R. M.; Polyakov, B. I.

TITLE: Vegetative reactions during stimulation of the vestibular analyzer and their possible role in complicating space flight conditions

SOURCE: AN SSSR. Otdeleniye biologicheskikh nauk. Problemy* kosmicheskoy biologii, v. 3, 1964, 278-288

TOPIC TAGS: acceleration, vestibular analyzer, space flight, Coriolis acceleration, rabbit, vegetative reflex

ABSTRACT: The role of angular accelerations and Coriolis accelerations on the vestibular function was studied by means of a BY-2 type accelerator, on which it was possible to produce angular accelerations ranging from 0.05 up to 1200 /sec and any magnitude of angular velocity up to 180 /sec. Vegetative reactions are of special interest since by stimulating the vestibular apparatus, it is possible to observe practically all known vegetative reactions. It has been established that the magnitude of the reaction depends on the duration of the stimulus (acceleration). Data obtained indicate that after whole-body irradiation of the animal,

more time is required for acceleration to produce an equal reaction. There is reason to believe, in this case, that radiation affects the central nervous system and not the receptor. So far there have been practically no attempts made to evaluate the biological significance of vegetative reflexes which arise during to evaluate the biological significance of vegetative reflexes which arise during stimulation of the vestibular analyzer. When rabbits were subjected to rocking in the horizontal (duration of acceleration, 0.15 sec), at 60 sec 2, a diminution of the horizontal (duration of acceleration, 0.15 sec), at 60 sec 2, a diminution of respiration amplitude was noted; at 400 sec 2 the diminished amplitude increased in frequency; at 600 sec 2 the amplitude dropped off sharply with no marked in frequency; at 600 sec 2 the amplitude dropped off sharply with no marked in frequency; at 600 sec 3 the amplitude dropped off sharply with no marked in frequency; and at 1200 sec 3 there was a distinct break in respiration. Reactions of the cardiovascular system to acceleration are complex. Thus, when rabbits are subjected to an acceleration of 0.05 sec 5 for 30 sec, skin temperature rises. But, if accelerations are increased to 1.5 or to 3.2 sec, skin temperature rises. But, if accelerations are increased to 1.5 or to 3.2 sec, skin temperature rises. But, if accelerations are increased to 1.5 or to 3.2 sec, skin temperature rises. But, if accelerations are increased to 1.5 or to 3.2 sec, skin temperature rises. But, if accelerations are increased to 1.5 or to 3.2 sec, skin temperature rises. But, if acceleration of 0.05 sec for 30 sec, skin temperature drops. The depressive reaction appears, apparently, only in response to large accelerations because when rabbits were accelerated in the range from 60 to 800 sec (duration, 0.15 sec), no depressive reaction was observed. When rabbits were exposed to short-term acceleration of 5 sec , a diminution of blood circulation in the brain was observed. This effect was distinct if t

Card d 2/3

duration of effect of acceleration on appearance of vestibular reactions. Very possibly this indicates the significant role of inclusion of the endocrine mechanism, particularly of the adrenal system, into the complex of vegetative reactions, and the consequent stimulation of the reticular formation. If the appearance of vegetative reflexes observed during stimulation of the vestibular mechanism is tied to the stimulation of the reticular formation, then, in the final analysis, their involvement must be controlled by the cortex of the cerebral hemispheres. It was also noted that stimulation of the vestibular apparatus limits the activity of the cortical component of vegetative reactions.

ASSOCIATION: none

SUBMITTED: 00

ENCL: 00

SUB CODE: PH; LS

NO REF SOV: 010

OTHER: 004

......

LEBEDINSKIY, A.V.; MASTHYUKOVA, V.M.; NAKHIL'NITSKAYA, Z.N.; STEZHIZHOVEKIY, A.D.

Effect of ionizing radiation on the state of reger rative processes in the organism. Radiobiologila 4 no.5:693-700 1(4. (MIRA 18:4))

AUTHOR: Lebedinskiy, A. V.; Levinskiy, S. V.; Nefedov, Yu. G.

TITLE: In anticipation of new space flights? a unique experiment of Soviet scientists

SOURCE: Aviatsiya i kosmonavtika, no. 11, 1964, 24-31

TOPIC TAGS: prolonged isolation, cosmonaut training, ionizing radiation, temperature, noise level, carbon dioxide concentration, adaptation

ABSTRACT: This article deals with the problem of studying the reaction of the human organism to a prolonged stay in an hermetically-sealed chamber. Results will make possible the setting up of further experiments using different environments. These experiments, which varied from 10 to 120 24-hour periods in length, studied the effects of this isolation on the vital functions of 10 human beings. Other conditions, including small doses of ionizing radiation and periodic increases in temperature and noise-level, were simulated. Not only did the varying environments influence the human subjects, but the human organism was found to influence the environment. A considerable increase in the number of bacteria in the air of the chamber and on the skin of the subjects was noted. There was also a marked increase in carbonyl hemoglobin in the blood, and CO₂ in the air of the

L 20727-65

ACCESSION NR: AP4049501

chamber, the latter varying from 10 to 20 times the normal atmospheric content. This caused subjects to experience difficulty in breathing and to demonstrate symptoms of auto-intoxication. During the initial 10 or 15 24-hour periods, major adjustments to the new environment were made. Systole decreased and reaction time delay increased, light sensitivity was lowered and the error factor went up. Nevertheless, adjustment was eventually made, light sensitivity returned, and the number of errors decreased. Fatigue remained constant and heart action was found to be at a sub-normal level. The article also deals with irritability, nervousness, and other non-physical reactions. The influence of the individual on the environment is stressed, with such influences differing from individual to individual. Orig. art. has: 4 graphs.

ASSOCIATION: none

SUBMITTED: 00

ENCL: 00

SUB CODE: PH

NO REF SOV: 000

OTHER: 000

Card 2/2

MASTRYUKOVA, V.M.; STRZFTZHOVSKIY, A.D.; LEBEDINSKIY, A.V., nauchnyy rukovoditel raboty, prof.

Effect of ionizing radiation on the 24-hour mitotic rhythm of the corneal epithelium in mice. Biul.eksp.biol.i med. 58 no.7:106-109 Jl 164. (MIRA 18:2)

1. Deystvite1 nyy chlen AMN SSSR (for Lebedinskiy). Submitted July 22, 1963.

BLCKHIN, N.N.; VASIL'YEV, P.V., kand. biol. nauk; LEBEDINSKIY, A.V., prof. [deceased]; YAZDOVSKIY, V.I., doktor med. nauk, prof.; CHERNOV, A.G.; NIKOLAYEV, V.R., red.

[Man in a space ship. Eighth discussion. Participants in the discussion: N.N.Blokhin and others] Chelovek v kosmicheskom korable. Beseda vos'maia. V besede uchastvuiut: N.N.Blokhin i dr. Moskva, Znanie, 1965. 30 p. (Novoe v zhizni, nauke, tekhnike. VIII seriia: Biologiia i meditsina, no.7)

(MIRA 18:4)

- 1. Deystvitelinyy chler, prezident AMN SSSR (for Blokhin).
- 2. Deystvitel'nyy chlen AMN SSSR (for Lebedinskiy).

OTHOR: Lebedinskiy, A. V. (Deceased); Nefedov, Yu. C.; Domshlek, M. P.; Ryzhov, I.; Darenskaya, N. C.; Brokkova, A. F.; Ganshina, A. N.; Lebedev, B, I. ITLE: The biological effects of fractional irradiation by 510-Mev protons on dogs OURCE: Radiobiologiya, v. 5, no. 1, 1965, 72-76 OPIC TAGS: high energy proton, biological effect, dog ABSTRACT: Little data has been published on the effect of high-energy protons on larger animals. It is theorized by the authors that the biological effectiveness of protons on larger animals would be more pronounced than on small animals. To of protons on larger animals would be more pronounced than on small animals. To of protons on larger animals would be more pronounced than on small animals. To of protons on larger animals would be more pronounced than on small animals. To of protons on larger animals would be more pronounced than on small animals. To of protons on larger animals would be more pronounced than on small animals. To it is theory, the authors investigated 12 dogs divided into two groups (6 dogs best this theory, the authors investigated 12 dogs divided into two groups (6 dogs best this theory in the authors investigated 12 dogs divided into two groups (6 dogs best this theory in the authors investigated 12 dogs divided into two groups (6 dogs best this theory. The second group was times over a period of 10 days with a total dose of 650 r. The radiation dose in the first group ranged from 10 to 79 r and in the second group from tion doses in the first group ranged from 10 to 79 r and in the second group from tion doses in the first group ranged from 10 to 79 r and in the second group from tion doses in the first group ranged from 10 to 79 r and in the second group from tion doses in the first group ranged from 10 to 79 r and in the second group from the life synchrocyclotron. The unit was arranged so that a 510-Mev		342-65 ENT(m) DIAAP SSION NR: AP5005523 S/0205/65/005/001/0072/0076	
ITLE: The biological effects of fractional irradiation by 510-Mev protons on dogs OURCE: Radiobiologiya, v. 5, no. 1, 1965, 72-76 B OPIC TAGS: high energy proton, biological effect, dog ABSTRACT: Little data has been published on the effect of high-energy protons on larger animals. It is theorized by the authors that the biological effectiveness of protons on larger snimels would be more pronounced than on small animals. To be protons on larger snimels would be more pronounced than on small enimals. To be protons on larger snimels would be more pronounced than on small enimals. To be seen this theory, the authors investigated 12 dogs divided into two groups (6 dogs that this theory, the authors investigated 12 dogs divided into two groups (6 dogs that the second group was times over a period of 40 days with a total dose of 650 r. The second group was irradiated 8 times over a period of 15 days with a total dose of 690 r. The radiative doses in the first group ranged from 10 to 79 r and in the second group from the loss of the experiments were conducted at the Joint Institute of Nuclear Re-		C. Doroshlek M. P.: Ryzhov,	
OURCE: Radiobiologiya, v. 5, no. 1, 1965, 72-76 BOPIC TAGS: high energy proton, biological effect, dog OPIC TAGS: high energy proton, biological effect, dog OPIC TAGS: high energy proton, biological effect, dog ABSTRACT: Little data has been published on the effect of high-energy protons on larger animals. It is theorized by the authors that the biological effectiveness being animals. It is theorized by the authors that the biological effectiveness of protons on larger animals would be more pronounced than on small animals. To be protons on larger animals would be more pronounced than on small animals. To be protons on larger animals would be more pronounced than on small animals. To be seen this theory, the authors investigated 12 dogs divided into two groups (6 dogs best this theory, the authors investigated 12 dogs divided into two groups (6 dogs best this theory, the authors investigated 12 dogs divided into two groups (6 dogs best this theory, the authors investigated 12 dogs divided into two groups (6 dogs best this theory, the authors investigated 12 dogs divided into two groups (6 dogs best this theory, the authors investigated 12 dogs divided into two groups (6 dogs best this theory, the authors investigated 12 dogs divided into two groups (6 dogs best this theory, the authors investigated 12 dogs divided into two groups (6 dogs best this theory, the authors investigated 12 dogs divided into two groups (6 dogs best this theory, the authors investigated 12 dogs divided into two groups (6 dogs best this theory, the authors investigated 12 dogs divided into two groups (6 dogs best this theory, the authors investigated 12 dogs divided into two groups (6 dogs best this theory, the authors investigated 12 dogs divided into two groups (6 dogs best this theory, the authors investigated 12 dogs divided into two groups (6 dogs best this theory, the authors investigated 12 dogs divided into two groups (6 dogs best this theory, the authors investigated 12 dogs divided into two groups (6 dogs best this theory,	U	, Derenskava. N. U., Divikuva, A.	
OPIC TAGS: high energy proton, biological effect, dog ABSTRACT: Little data has been published on the effect of high-energy protons on larger animals. It is theorized by the authors that the biological effectiveness of protons on larger animals would be more pronounced than on small animals. To of protons on larger animals would be more pronounced than on small animals. To of protons on larger animals would be more pronounced than on small animals. To of protons on larger animals would be more pronounced than on small animals. To of protons on larger animals would be more pronounced into two groups (6 dogs test this theory, the authors investigated 12 dogs divided into two groups (6 dogs test this theory, the authors investigated 12 dogs divided into two groups (6 dogs test this theory, the authors investigated 12 dogs divided into two groups (6 dogs test this theory, the authors investigated 12 dogs divided into two groups (6 dogs test this theory, the authors investigated 12 dogs divided into two groups (6 dogs test this theory, the authors investigated 12 dogs divided into two groups (6 dogs test this theory, the authors investigated 12 dogs divided into two groups (6 dogs test this theory, the authors investigated 12 dogs divided into two groups (6 dogs test this theory, the authors investigated 12 dogs divided into two groups (6 dogs test this theory, the authors investigated 12 dogs divided into two groups (6 dogs test this theory, the authors investigated 12 dogs divided into two groups (6 dogs test this theory, the authors investigated 12 dogs divided into two groups (6 dogs test this theory, the authors investigated 12 dogs divided into two groups (6 dogs test this theory, the authors investigated 12 dogs divided into two groups (6 dogs test this theory, the authors investigated 12 dogs divided into two groups (6 dogs test this theory, the authors investigated 12 dogs divided into two groups (6 dogs test this theory, the authors investigated 12 dogs divided into two groups (6 dogs test this theory, th	']	E: The biological effects of fractional irradiation by 510-Mev protons on dogs	
ABSTRACT: Little data has been published on the effect of high-energy protons on larger animals. It is theorized by the authors that the biological effectiveness of protons on larger animals would be more pronounced than on small animals. To of protons on larger animals would be more pronounced than on small animals. To of protons on larger animals would be more pronounced than on small animals. To of protons on larger animals would be more pronounced than on small animals. To of protons on larger animals would be more pronounced than on small animals. To of protons on larger animals would be more pronounced than on small animals. To of the second group was times over a period of irradiation; the first group ranged from 10 to 79 r and in the second group from tion doses in the first group ranged from 10 to 79 r and in the second group from the larger animals.	3(ICE: Radiobiologiya, v. 5, no. 1, 1965, 72-76	
larger animals. It is theorized by some pronounced then on small animals. To of protons on larger snimals would be more pronounced then on small animals. To of protons on larger snimals would be more pronounced then on small animals. To of protons on larger snimals would be more pronounced times do not be authors invadiated 19 according to conditions of irradiation; the first group was times over a period of 40 days with a total dose of 650 r. The second group was irradiated 8 times over a period of 15 days with a total dose of 690 r. The radiative days in the first group ranged from 10 to 79 r and in the second group from tion doses in the first group ranged from 10 to 79 r and in the second group are to the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group f	['(C TAGS: high energy proton, biological effect, dog	
of protons on larger animals would be protons on larger animals would be protons on larger animals would be protons on larger animals with a first group was irradiated 19 such according to conditions of irradiation; the first group was times over a period of 40 days with a total dose of 650 r. The second group was times over a period of 15 days with a total dose of 690 r. The radiative days with a total dose of 690 r. The radiative days with a total dose of 690 r. The radiative days with a total dose of 690 r. The experiments were conducted at the Joint Institute of Nuclear Re-	٠	an animals. It is theorized of the same on small animals. It	
times over a period of 40 days with a total dose of 650 r. The second group was times over a period of 40 days with a total dose of 690 r. The radialiry diated 8 times over a period of 15 days with a total dose of 690 r. The radialiry diated 8 times over a period of 15 days with a total dose of 690 r. The second group from tion doses in the first group ranged from 10 to 79 r and in the second group from tion doses in the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group ranged from 10 to 79 r and in the second group from the first group from the first group from the first group from the first group from 10 to 79 r and in the second group from the first grou	0	protons on larger snimars would be protons on larger snimars would do dogs the protons investigated 12 dogs divided into two groups (6 dogs the theory, the authors investigated 12 dogs divided into two groups (6 dogs the theory).	
irr diated 8 times over a period of 17 cm 10 to 79 r and in the second group from tion doses in the first group ranged from 10 to 79 r and in the second group from tion doses in the first group ranged from 10 to 79 r and in the second group from the first group from 100 r. The experiments were conducted at the Joint Institute of Nuclear Re-	e	h) according to conditions of the second group was	
两个,主义是我们的,他说话,我们就是 在关键的工程的时间, 从是是是一定的话,这是一个人的话,也是一个人的话题,可以是一个人,我们就是这个人的话,这是是一个人的话	ż	adiated R times over a period of the garond group from	
proton beam hit a section 40 cm in diameter at 1 rau/sec.	*	工艺的主题的一种设计,我就是一层的在几个的在代表的人,从来是是一些企业,但是一个一个一个人,也是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	
	1	sten beam hit a section 40 cm in diameter at 1 ran/sec.	

L 31342-65

ACCESSION NR: AP5005523

groups exhibited functional and morphological symptoms of severe radiation sickness, typical of this type of radiation. In comparison with clinical data on the effects of x-rays, protons generally had the same effects. However, dogs irradiated with protons exhibited some symptons peculiar to this radiation; the hemorrhagic syndrome was more pronounced, and, when death took place, there was a relatively higher leukocyte content in the peripheral blood and generally lower bone-marrow blood formation in the form of a somewhat greater depth of damage to cells of the erythroblastic system. An examination of the structures of the central nervous system revealed damage to neural and glial structures and disruption of blood and fluid circulation. Orig. art. has: 5 figures.

ASSOCIATION: none

SUBMITTED: 19Feb63

ENCL: 00

SUB CODE: LS

NO REF SOV: 003

OTHER: 007

ATD PRESS: 3201

Card 2/2

EWG(3)/EWG(r)/EWT(1)/FS(v)-3/EWG(v)/EWG(a)=2/EWG(c) L 46179-65 ACCESSION NR: AP5011558 Bokhov, B. B.; Shipov, A. A.; Lebedinskiy, A. V. AUTHOR: Some quantitative characteristics of the vestibular analyzer in rabbits TITLE: SOURCE: Byulleten! eksperimental!noy biologii i meditsiny, v. 59, no. 4, 1965, 12-14 vestibular apparatus, nystagmus, semicircu ar chial, labyrinth TOPIC TAGS: ABSTRACT: The nystagmic reaction of chinchilla rabbits to rotation was investigat= ed with respect to duration and number of oscillations after change in intensity of adequate stimulation of the vestibular analyzer (sudden stop) ranging from 110°/sec to 180°/sec. Since the experimental curves constructed on a semilogarithmic scale were not rectilinear, they could not express a logarithmic function. Mathematical analysis showed that the portion of the curve reflecting the duration of nystagmus in the 10-60°/sec range of stimuli was the closest approximation of a logarithmic function. The curve showing the number of nystagmic oscillations in the same range approximated both linear and logarithmic functions. A linear approximation of the two curves was possible in the 70-180°/sec range. A change in the nature of the curves occurred in the 60-70° range. A stimulus of about 70°/sec is equivalent to Card 1/2

ACCESSION NR: APSOL1558 The activity of semicircular canal mistae at rest. After sudden halting of steady rotation, the causpons of the origins of both sancironian casels are stimulated. and in the Labyrinth with ampulicental flow of endalymen the sets of impulses from the cristae receptors is greater than when at rest, but less in the labyrinth with ampullofugal flow. When the cupola returns to the equilibrium position, the velocity of impulses from the semicircular canal cristae with ampullopetal flow of endolymph gradually decreases to that at rest, but it increases in the opposite canal. The time required for the establishment of equilibrium impulses seemed to be determined by the duration of the nystagmic reaction. Stimuli of about 700/sec or more block impulses from the receptors of the semicircular canal cristae with the ampullafugal flow of endolymph, thereby slightly prolonging the nystagmic reaction beyond the time determined by the logarithmic relationship. Orig. art. has 2 figures. ASSOCIATION: Institut biofiziki, Ministerstva zdravookhraneniya SSSR, Moscow (Institute of Biophysics, Ministry of Health SSSR) LS SUB CODE: ENCL: 00 SUBMITTED: 3Ma464 OTHER: 010 NO REF SOVE 007 me Card 2/2

"APPROVED FOR RELEASE: Monday, July 31, 2000

CIA-RDP86-00513R000929110

。 《大學學》的主義學的一個一個一個一個一個一個一個一個一個一個一個一個一個一個一個一個一個一個一個	
RIGORIO	000/66/000/000/02/ <i>6</i> /02/5
AUTHOR: (Lobodinskiy, A. V. (deceased); Nofedov, Yu. G.; Domonic N. N.; Moskalev, Ku. I.; Rychov, N. I.; Darenskiya, N. G.; Biblik L. N.; Lebedov, B. I.; Livitsyna, G. M.; Shashkov, I. F.; Lerbor G. K.	d. N. P.; Mengenikaya, cova, A. P.; Gandhina, cova, N. I.; Gorasisova,
ORG: none	
TITLE: Model investigations of cosmic radiation biologic effect	
SOURCE: Voprosy obshchoy radiobiologii (Problems of general radhktomizdat, 1966, 242-254	
TOPIC TAGS: dog, rat, induced radiation effect, cosmic radiation proton radiation biologic effect, relative biologic efficiency	
ABSTRACT: With space flights of longer duration, cosmic rays, solar flares present an increasing danger to astronauta. However, who is not the biologic effect of cosmic radiation and its componently protons. In the present study the REE of high energy prelaboratory animals (dogs) and small laboratory animals (rescible REE differences. In a series of experiments groups of with high energy protons and X-irradiation (or gamma irradiation	notes, particularly high rotons was compared in rate) to determine the determine the more inradiated
· Card · 1/2	

L 11275-67

ACC NR: A76029633

single doses of 250 to 650 rads; groups of rats (Wistar line) were also irradicted in fractional and single doses of 300 to 1200 rads. A synchrocyclotron was used for proton irradiation (510 MeV, field diameter 40 cm, dose rate of 1 rad/sec). Clinical symptoms, histological investigations, EEG data, mean survival periods, and pust mortem examinations served as indices. Results show that with fractional dose irradiction of dogs, the RBE of proton irradiation (510 MeV) and X-irradiation (180 kV) is the same (1.0). With fractional irradiation of rats, the RBE of proton irradiation is 0.6. With single dose irradiation of dogs, the RBE of protons is 1.15 compared to gamma irradiation. With single dose irradiation of rats, the RBE of protons is 0.75 compared to gamma irradiation. No conclusions are drawn. Orig. art. has: 4 tables and 6 figures.

SUE CODE: 06/ SUEM DATE: 23Apr66/ ORIG REF: 004/ OTH REF: 004

Card	2/2	ď

LEBEDINSKIY, B.

Lebedinskiy, B. AUTHOR:

133-58-3-23/29

TITLE:

From the Experience of the Research Laboratory on the

Organisation of Production and Labour (Opyt raboty

issledovatel'skoy laboratorii po organizatsii proizvodstva

i truda)

PERIODICAL:

Stal', 1958, Nr 3, pp 256 - 257 (USSR)

ABSTRACT:

Some examples of the activity of the research laboratory

on the organisation of production and labour on the Stalin

Works are given. The laboratory was organised in 1955.

ASSOCIATION:


Stalinskiy metallurgicheskiy zavod (Stalino


Metallurgical Works)

AVAILABLE:

Library of Congress

Card 1/1





AKHMEDZHANOV, Ye.S.; LEHEDINSKIY, G.L.

Radiometric sampling of blastholes in the pit of a complex ore mine. Uch. 2ap. SAIGINSA no.8:59-61 '62. (MIRA 17:1)

1. Sredneaziatskiy nauchno-issledovatel'skiy institut gaplogii i mineral'nogo syr'ya, Tashkent.

AKHMEDZHANOV, Ye.S.; LEBEDINSKIY, G.L.

Coreless rotary test drilling instead of cable drilling. Uch. zap.
(MIRA 17:2)
SAIGINSg no.7:217-221 '62.

1. Sredneaziatskiy nauchno-issledovatel'skiy institut geologii i mine-ral'nogo syr'ya, Tashkent.

